David Morritz De Kretser al. THERAPEUTIC METHOD Sheet 1 of 24

Figure 1A




Figure 1B





Figure 1C



David Morritz De Kretser al. THERAPEUTIC METHOD Sheet 2 of 24







Figure 1E



David Morritz De Kretser al. THERAPEUTIC METHOD Sheet 3 of 24

Figure 2A




Figure 2B







Figure 2C



David Morritz De Kretser al. THERAPEUTIC METHOD Sheet 4 of 24






David Morritz De Kretser al. THERAPEUTIC METHOD Sheet 5 of 24




Figure 4




David Morritz De Kretser al. THERAPEUTIC METHOD Sheet 6 of 24

Figure 5



Activin βA mRNA expression in LPS-treated mice



Activin β B mRNA expression in LPS-treated mice







Figure 7


Activin βA mRNA expression in CCl₄-treated mice





Activin βB mRNA expression in CCI₄-treated mice
















Figure 11 (cont'd)







David Morritz De Kretser al. THERAPEUTIC METHOD Sheet 14 of 24


Figure 11 (cont'd)

Œ)




۲






.5FS represents the level of TNF α or IL-6 in mice 30 minutes after administration of follistatin alone (i.e. no LPS)

Figure 13






..5FS represents the level of TNFa or IL-6 in mice 30 minutes after administration of follistatin alone (i.e. no LPS)

David Morritz De Kretser al. THERAPEUTIC METHOD Sheet 17 of 24

Figure 14



David Morritz De Kretser al. THERAPEUTIC METHOD Sheet 18 of 24

Figure 15(A)




Figure 15(B)




Figure 15(C)







Figure 15(D)




David Morritz De Kretser al. THERAPEUTIC METHOD Sheet 20 of 24




David Morritz De Kretser al. THERAPEUTIC METHOD Sheet 21 of 24




David Morritz De Kretser al. THERAPEUTIC METHOD Sheet 22 of 24



David Morritz De Kretser al. THERAPEUTIC METHOD Sheet 23 of 24



David Morritz De Kretser al. THERAPEUTIC METHOD Sheet 24 of 24



ligure 20

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS
☐ MAGE CUT OFF AT TOP, BOTTOM OR SIDES
FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.